

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(spin near coat\$5) same glass same (metal aluminum nickel) same sinter\$5 same ((more two multiple) with temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 17:50
L2	46	(spin near coat\$5) same glass same (metal aluminum nickel) same sinter\$5 same temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 17:50
L3	11	("4386151" "4798694" "5045227" "5165973" "5213887" "5322760" "5330823" "5805326" "5815330" "5862286").PN. OR ("6134045").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/19 18:01
L4	150	((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) same glass same (aluminum nickel) same sinter\$5 same temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 18:06
L5	28	((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) same glass same (aluminum nickel) same sinter\$5 same (temperature stage step) with (varying varied variable different more two multiple stage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 18:13
L6	33	((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) same glass same (aluminum nickel) same (sinter\$5 and (dry dried)) same temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 18:19
L7	23	((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) same glass same (aluminum all) same (sinter\$5 and (dry dried)) same temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 18:22

EAST Search History (Prior Art)

L8	56	((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) same glass same (aluminum all) same (sinter\$5 and (dry dried))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 18:27
L9	831	((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) same glass same (aluminum all) same (sinter\$5 bake\$3 calcin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 18:40
L10	639	glass and (((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) with (aluminum all)) same (sinter\$5 bake\$3 calcin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 18:44
L11	231	l10 and ("136"/\$.ccls. "438"/\$.ccls. "257"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 19:16
L14	172	glass same (((spin near coat\$5) (doctor near blade\$4) (screen near print\$5)) with (aluminum all)) same (sinter\$5 bake\$3 calcin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 19:33
L15	337	sinter\$5 with multiple with (step stage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 19:39
L16	111	l15 and glass and (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 19:40

EAST Search History (Prior Art)

L17	466	(glass with (textur\$5 pattern\$5 etch\$5 rough\$5)) same (metal near mask\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 19:48
L18	81	(chemical near etch\$5) with (aluminum Al) with glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:23
L19	3094	\$"28602"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:36
L20	1218	\$"28602"	DERWENT; IBM_TDB	OR	ON	2010/01/19 20:37
L21	1	WO00/28602	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 20:37
L22	2309	136/256.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:07
L23	572	65/30.13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:07
L24	168	65/33.5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:07

EAST Search History (Prior Art)

L25	90		65/50.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:07
L26	192		65/59.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:08
L27	383		65/60.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:08
L28	454		65/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:08
L29	213	(122 123 124 125 126 127 128) and (metal aluminum) same (glass with (textur\$5 pattern\$5 rough\$5 matte irregularity))		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:09
L30	110	129 and (etch\$5 remov\$5 peel\$5) with (metal aluminum)		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:10
L31	15	((aberle near armin) (widenborg near per) (chuangsuwanich near natapol)).in.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 23:39

EAST Search History (Prior Art)

S15	86	(glass near textur\$5).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 15:18
S16	2	1996-196461	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 15:56
S17	2	"65"/\$.ccls. and glass same (anneal\$5 sinter\$5 heat\$4) with temperaturer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:12
S18	13526	"65"/\$.ccls. and glass same (anneal\$5 sinter\$5 heat\$4) with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:13
S19	2629	"65"/\$.ccls. and glass same (anneal\$5 sinter\$5 heat\$4) with (different multiple more) with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:13
S20	1976	"65"/\$.ccls. and glass with (anneal\$5 sinter\$5 heat\$4) with (different multiple more) with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:15
S21	174	"65"/\$.ccls. and (glass and metal) with (anneal\$5 sinter\$5 heat\$4) with (different multiple more) with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:16

EAST Search History (Prior Art)

S22	609	"65"/\$.ccls. and ((rough\$5 shap\$5 textur\$5) with glass) same (anneal\$5 sinter\$5 heat\$4) with (different multiple more) with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:19
S23	181	"65"/\$.ccls. and ((rough\$5 shap\$5 textur\$5) with glass) same (metal aluminum) same (anneal\$5 sinter\$5 heat\$4) with (different multiple more) with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:20
S24	403	"65"/\$.ccls. and etch\$5 with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:27
S25	260	S24 and (heat\$4 sinter\$5 anneal\$5) with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:28
S26	0	"65"/\$.ccls. and textur\$5 and (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:40
S27	408	"65"/\$.ccls. and textur\$5 and (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:40
S28	55	"65"/\$.ccls. and textur\$5 with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:41

EAST Search History (Prior Art)

S29	19	S28 and etch\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:42
S30	9	S28 and etch\$5 with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:46
S31	61	"65"/\$.ccls. and (textur\$5 matte) with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:47
S32	2	"65"/\$.ccls. and (textur\$5 matte) with (metal aluminum) with etch\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:47
S33	16	"65"/\$.ccls. and (textur\$5 matte) same (metal aluminum) same etch\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 21:49
S34	325972	(rough\$5 temper\$5 textur\$5 finish\$5) with glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:09
S35	29804	(rough\$5 temper\$5 textur\$5 finish\$5) with glass with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:10

EAST Search History (Prior Art)

S36	3492	((rough\$5 temper\$5 textur\$5 finish\$5) near glass) with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:10
S37	238	S36 and etch\$5 with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:11
S38	3492	((rough\$5 temper\$5 textur\$4 finish\$5) near glass) with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:18
S39	238	S38 and etch\$5 with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:18
S40	1328	((rough\$5 temper\$4 textur\$5 finish\$5) near glass) with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:19
S41	80	S40 and etch\$5 with (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:20
S42	19	("4407695" "4532537").PN. OR ("4664748").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/18 22:21
S43	17	S42 and (metal aluminum)	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/18 22:23
S44	13	"3951633"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/18 22:29

EAST Search History (Prior Art)

S45	1	"4885053"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/18 22:46
S46	0	((textur\$5 rough\$5 irregularity) near glass) with (metal aluminum) near mask	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/18 22:50
S47	0	((textur\$5 rough\$5 irregularity) near glass) with (metal aluminum) near mask\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/18 22:50
S48	1	((textur\$5 rough\$5 irregularity) near glass) same (metal aluminum) near mask\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/18 22:50
S49	1	((textur\$5 rough\$5 irregularity) near glass) same ((metal aluminum) near mask\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:51
S50	13	((textur\$5 rough\$5 irregularity) near glass) and ((metal aluminum) near mask\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:51
S51	12	"5,120,605"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:54
S52	11	S51 and (metal aluminum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:56

EAST Search History (Prior Art)

S53	7	S51 and (metal aluminum) same etch\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 22:57
S54	0	(rough\$5 with glass).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:01
S55	0	(rough\$5 near surface).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:01
S56	940	(rough\$5 same glass).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:01
S57	940	(rough\$5 with glass).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:02
S58	12	S57 and (metal aluminum) with (etch\$5 remov\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:02
S59	6	"5223350"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:23

EAST Search History (Prior Art)

S60	2918	marumoto.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:25
S61	616	S60 and surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:25
S62	293	\$"196461"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:25
S63	0	S62 and rough45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:26
S64	9	S62 and rough\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:26
S65	14	(marumoto and tojo).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:26
S66	2	"US 20060263606"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2010/01/18 23:36
S67	3	2003/0213770	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:43

EAST Search History (Prior Art)

S68	2	"20030213770"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:43
S69	60813	glass with (metal aluminum) with (sinter\$5 anneal\$5 heat\$4 temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:47
S70	861	glass with (metal aluminum) with (sinter\$5 anneal\$5 heat\$4) with temperature with (different more multiple)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/18 23:48
S71	110	S70 and (textur\$5 pattern\$5 matte rug\$4 irregular\$5) with glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/19 00:02
S72	2	"6042926"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2010/01/19 00:21
S73	7	"5807416"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2010/01/19 00:23
S74	11	("6150006").URPN.	USPAT	OR	OFF	2010/01/19 00:29
S75	15	("4797316" "5562774" "5614071" "5807416").PN. OR ("6150006").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/19 00:29

EAST Search History (Interference)

		< This search history is empty >			
--	--	----------------------------------	--	--	--